



CYCPLUS **CUBE**

Mini Bicycle Tire Inflator



⚠ Warning

For TPU inner tubes with resin valves, be sure to connect them with an extension air hose (available for separate purchase), or the valves may melt due to overheating.



Packing List



Inflator



Silicone Case



Pillar



Seal Part



Cable





Waterproof Bag

Details & Specifications

Type-C
Charging Port

Nozzle



Power Button
&
Indicator

Size: 65*46.5*28 mm

Weight: 97 g

Battery: 7.4v*300 mAh

Working time: about 200 sec

Current: 2.5~5.5 A

Max Pressure: 100 PSI

Charging Mode: Type-C 5V 1.5A

Air Nozzle Adaptation

The inflator is ready for Presta valves right out of the box.
For Schrader valves, reassemble the nozzle as shown below.

Nozzle Cap



Seal Part

Small hole
outward



For Presta Valve

Nozzle Cap




Seal Part

Big hole
outward




Pillar
for Schrader



For Schrader Valve

Operation



The color indicates the battery level:

Green: 80%~100%

Yellow: 50%~80%

Red: <50%



Always loosen the nut first.

1 Press the **Power Button** to active the inflator, and the indicator will light up.

2 Press the **Power Button** **twice** within 3 seconds after activation to start inflating.


3 Put the inflator onto the valve stem and hold tight.

4 Press the **Power Button** again to stop inflating and turn off the inflator.

5 Remove the inflator.

Notice

Keep clear of the charging port during operation.




Notes

1. Fully charge the inflator before use.
2. The inflator may get hot during operation, and please use it with the silicone case.
3. Press the inflator against the valve before and during inflation, and adjust the position to prevent air leakage.
4. It is normal to feel a sense of traction when pulling the inflator off a presta valve after inflation.

Charging

Charge it with a suitable charger. It takes about 25 minutes to fully charge the inflator, the indicator light will flash in red when charging and turn green when fully charged. It can pump for about 200 s on one full charge.



Indicator Light

Working performance when full charged:

Tire Type	Pressure	Inflating Time	Available Times
700C25	0-60PSI	50~60 sec	4
700C25	0-80PSI	80~90 sec	2
700C25	0-100PSI	150~160 sec	1
26x1.95	0-35PSI	70~80 sec	2
26x1.95	0-50PSI	120~130 sec	1

The experimental data are for reference only.

Manufacturer

Chengdu Chendian Intelligent Technology Co., Ltd

Warranty

Free replacement or repair within 1 year.

After Sale Service

steven@cycplus.com