



■ Tire Inflator

■ A2




Packing List



- A. Inflator
- B. Air Tube
- C. Presta Valve Converter
- D. Ball Needle
- E. Type-C Charging Cable
- F. Storage Bag
- G. Bike Mount
- H. Screwdriver
- I. Screw*2
- J. Non-slip Mat
- K. Velcro
- L. User Manual

Product Details



About Buttons

Short Press	Start/Stop inflating	Increase pressure	Reduce pressure	Choose unit
Long Press	Turn on/off power	Quick increase	Quick reduce	Turn on/off flashlight

About Inflation

	Reference pressure	Time from empty	Frequency from empty
Car	2.3-2.5 BAR	8-12 min	2-3 (195 65 R15)
Road Bike	100-120 PSI	2-3 min	8-12 (700*23C)
Mountain Bike	30-50 PSI	2-3 min	12-18 (26*1.95)
Motorcycle	30-50 PSI	4-6 min	4-6 (130 70 R17)
Basketball	7-9 PSI	1 min	30-40

Valve Installation

Tube & Nozzle			
Valve Type	Schrader	Presta	Ball

Operation

Connection:

Connect the metal end to the pump, and thread the other end onto the valve stem. For Presta valves, please install the **Presta Valve Converter** first. For balls, install the **Ball Needle** first.

Start up:

Long press the **Power Button** to turn on the power. The screen will display the current pressure.

Set Target Pressure:

Press **Unit Button** to choose the pressure unit among PSI, BAR, KPA and kgf/cm². Use **+ Button** and **- Button** to adjust the target air pressure value. The screen will flash twice when you stop setting, then it will display the current air pressure.

Inflation:

Press **Power Button** to start inflating. Press again to pause/continue. It will stop automatically when the target pressure is reached.

Shutdown:

Long press **Power Button** to turn off. Or it will shut down automatically after 1 minute without operation.

Flashlight:

Long press **Unit Button** to turn on/off flashlight.

Power Bank

Charge your mobile device via the USB output port.

The power output is 5V 2A max.

The inflator will stop working as a power bank while inflation.


Recharging

- 1 Fully recharge the inflator before use especially after long-time idleness.
- 2 During the charging process, the battery level indicator on the screen will flash, and it will light up when fully charged.
- 3 Please charge the inflator once every three months even if not in use to avoid battery damage.

Attentions

- 1 It's normal that the inflator becomes hot after working more than 1min. Please don't touch the hot part of the air tube!
- 2 Please check the inflator before inflating. If find any exception, don't use it.
- 3 If find any abnormal sounds or excessive temperatures during the inflation, please stop it immediately.
- 4 Please ensure the smooth flow of air during the inflation.
- 5 The compressor in the inflator may produce electric sparks at work. Please keep it away from flammable
- 6 and explosive objects.
Do not leave the working area in case of accidents.
- 7 After long-time using, the inflator and the air tube will become hot. Please take a break before using it again.
- 8 Please try to avoid silt invasion, soaking and bad fall.
- 9 Harsh chemicals, cleaning agents, detergents and other chemicals are forbidden to be used during the cleaning.
- 10 Don't store the inflator in a cold, hot or humid place.
- 11 Children are forbidden to use the inflator. Please keep it away from children.
- 12 Don't inflate the air into the mouth, ear, eye, etc. of the persons or animals.
- 13 Do not use the inflator when it's being charged.

Bike Mount



- 1 Fix the bike mount on the bike and fasten screw.
- 2 Pasten non-slip mat.
- 3 Pull the inflator in. Please note that the screen is facing up. Tense the velcro and fix it well.

Specification

Size	180*55*53 mm
Weight	380g
Battery	2600mAh 7.4V 19.24Wh
Work current	1-7A
Charging mode	Type-C
Charging time	2 hours
Max inflating pressure	150 PSI & 10.3 BAR 990 KPA & 10.5 kgf/cm ²
Operation temperature	-10°C ~ +60°C
USB output	5V 2A

Factory Info

Manufacturer:

Chengdu Chendian Intelligent Technology Co., Ltd

Warranty: Free replacement or repair within 1 year.

After-sales email: steven@cycplus.com

Chengdu Chendian Intelligent Technology Co., Ltd

EC	REP
----	-----

EUBRIDGE ADVISORY GMBH
Virginia Str. 2
35510 Butzbach, Germany
eubridge@outlook.com

UK	REP
----	-----

TANMETINT'L BUSINESS LTD
9 Pantygraigwen Road, Pontypridd
Mid Glamorgan, CF37 2RR, UK
Tanmetbiz@outlook.com



FR

**Cet appareil,
ses accessoires,
cordons et batteries
se recyclent**

**À DÉPOSER
EN MAGASIN**



OU

**À DÉPOSER
EN DÉCHÈTERIE**



Points de collecte sur www.quefairedemesdechets.fr
Privilégiez la réparation ou le don de votre appareil !

MADE IN CHINA