

Beverage Refrigerator/Getränkekühlschrank/ Réfrigérateur à boissons/Frigorifero per bevande/ Refrigerador de bebidas


SKU: BR001-110SH-DEEH

BR001-110SI-DEEH

BR001-110SH-UKEH

BR001-110SI-UKEH

MODEL: JC-90VEL-F



EC REP

SUCCESS COURIER SL
CALLE RIO TORMES NUM. 1, PLANTA 1,
DERECHA, OFICINA 3, Fuenlabrada,
Madrid, 28947 Spain

UK REP

EVATOST CONSULTING LTD
Office 101 32 Threadneedle Street,
London, United Kingdom, EC2R 5AY
contact@evatost.com

Business Name: Ningbo Shuaifan Information Technology Co., Ltd.
Business Address: Room 1320 -2, No. 121, Tongli Road, Jiangbei District,
Ningbo City, Zhejiang Province 315000



support@euhomy.com



<https://euhomy.com>

Congratulations

Dear Customer:

Welcome to the Euhomy family. Thank you for purchasing one of our products.

Our goal is to provide you with superior service. If there is anything missing from or wrong with your order, or if you have any questions about using our ice maker, PLEASE contact us.

Email: support@euhomy.com

Facebook: @Euhomy.Official

The Euhomy team is available 24/7 to address your questions, comments, and concerns. Your satisfaction is our ultimate goal. We want to make everything right so you'll share your positive experience with other shoppers on Amazon.

If you experience any problems, please send an email to support@euhomy.com.

Our mission:

- * To be the most trusted appliance brand.
- * To create practical, compact appliances that better your life.

Be sure to register at
www.euhomy.com/register
for updates, warranty, and other relevant information.



EuhomyOfficial



euhomyofficial



euhomy_us



euhomy

I GENERAL SAFETY RULES



WARNING: Read all of the instructions before using this appliance.

When using this appliance, always exercise basic safety precautions, including the following:

- 1) Read all of the instructions before using this appliance.
- 2) Use this appliance only for its intended purpose as described in this use and care guide.
- 3) This Countertop Refrigerator must be properly installed in accordance with the installation instructions before it is used. See grounding instructions in the installation section.
- 4) Never unplug your Countertop Refrigerator by pulling on the power cord. Always grasp the plug firmly and pull straight out from the outlet.
- 5) Repair or replace immediately, all electric service cords that have become frayed or otherwise damaged. Do not use a cord that shows cracks or abrasion damage along its length, the plug or the connector end.
- 6) Unplug your Countertop Refrigerator before cleaning or before making any repairs. Note: If for any reason this product requires service, we strongly recommend that a certified technician performs the service.
- 7) If your old Countertop Refrigerator is not being used, we recommend that you remove the doors and leave the shelves in place. This will reduce the possibility of danger to children.
- 8) This Countertop Refrigerator should not be recessed or built-in in an enclosed cabinet. It is designed for freestanding installation only.
- 9) Do not operate your Countertop Refrigerator in the presence of explosive fumes.
- 10) Your Countertop Refrigerator was NOT designed to store perishable foods. Store only bottled or canned beverages.


SAVE THESE INSTRUCTIONS DANGER



DANGER

Risk of child entrapment. Before you throw away your old appliance, take off the doors. Leave the shelves in place so that children may not easily climb inside.

I PARTS AND FEATURES



1. 96L beverage cooler

2. Shelf

3. Reversible double-pane glass door with stainless-steel frame

4. Adjustable front leveling legs

5. Fan



DANGER – Risk Of Fire Or Explosion. Flammable Refrigerant Used. To Be Repaired Only By Trained Service Personnel. Do Not Puncture Refrigerant Tubing

CAUTION – Risk Of Fire Or Explosion. Flammable Refrigerant Used. Consult Repair Manual/ Owner's Guide Before Attempting To Service This Product. All Safety Precautions Must be Followed

CAUTION–Risk Of Fire Or Explosion. Dispose Of Property In Accordance With Federal Or Local Regulations. Flammable Refrigerant Used

CAUTION – Risk Of Fire Or Explosion Due To Puncture Of Refrigerant Tubing; Follow Handling Instructions Carefully. Flammable Refrigerant Used

I INSTALLING YOUR COUNTERTOP REFRIGERATOR

Unpacking Your Countertop Refrigerator

1. Remove all packaging material. This includes the foam base and all adhesive tape holding the Countertop Refrigerator accessories inside and outside.
2. Inspect and remove any remaining packing, tape or printed materials before powering on the Countertop Refrigerator.

Leveling Your Countertop Refrigerator

- Your Countertop Refrigerator has two leveling legs which are located in the front corners. After properly placing your Countertop Refrigerator in its final position, you can level your Countertop Refrigerator.
- Leveling legs can be adjusted by turning them clockwise to lower your Countertop Refrigerator or by turning them counterclockwise to raise your Countertop Refrigerator. The Countertop Refrigerator door will close more easily when the two front leveling legs are extended slightly.

Proper Air Circulation

- To ensure that your Countertop Refrigerator works at the maximum efficiency it was designed for, you should install it in a location where there is proper air circulation and electrical connections.
- The following are recommended clearances around the Countertop Refrigerator:
Sides...50mm
Top...50mm
Back...50mm
- Do not over fill your Countertop Refrigerator for proper cooling.

Note: If your Countertop Refrigerator has been tilted for any reason, wait 24 hours before plugging it in.

Drip Tray

- Ensure the drip tray in the rear of the unit is in the proper position.



WARNING: ELECTRICAL REQUIREMENT-SHOCK HAZARD

Electrical Requirement

- Make sure there is a suitable power outlet (220 V-240 V) with proper grounding to power the Countertop Refrigerator.
- Avoid the use of three prong adapters or cutting off the third grounding prong in order to accommodate a two prong outlet. This is a dangerous practice since it provides no effective grounding for the Countertop Refrigerator and may result in shock hazard.

Installation Limitations

- Do not install your Countertop Refrigerator in any location not properly insulated or heated (e.g., garage etc.). Your Countertop Refrigerator was not designed to operate in ambient temperature settings below 13°C.
 - Select a suitable location for the Countertop Refrigerator on a hard even surface away from direct sunlight or heat source (e. g., radiators, baseboard heaters, cooking appliances, etc.). Any floor unevenness should be corrected with the leveling legs located on the front and rear bottom corners of the Countertop Refrigerator.
 - Your Countertop Refrigerator is designed for freestanding installation only. It is not designed for built-in application.
- Note: This unit is for indoor use only.

Use of Extension Cord

- Avoid the use of an extension cord because of potential safety hazards under certain conditions. If it is necessary to use an extension cord, use only a 3-wire extension cord that has a 3-blade grounding plug and a 3-slot outlet that will accept the plug. The marked rating of the extension cord must be equal to or greater than the electrical rating of the appliance.

Shelving (See Fig. #2)

To remove or replace a full-width slide-out shelf:

1. Gently tilt the shelf up and slide forward until the shelf has been completely removed.
2. To replace the shelf, gently slide the shelf back.




Fig.#2

Normal Operating Sounds You May Hear

- Boiling water, gurgling sounds or slight vibrations that are the result of the refrigerant circulating through the cooling coils.
- Compressor makes operational sounds when cycling on and off.

I Proper Countertop Refrigerator Care & Cleaning

Cleaning and Maintenance



Warning: To avoid electric shock, always unplug your Countertop Refrigerator before cleaning. Ignoring this warning may result in death or injury.



Caution: Before using cleaning products, always read and follow manufacturer's instructions and warnings to avoid personal injury or product damage.

General:

- Prepare a cleaning solution of 3-4 tablespoons of baking soda mixed with warm water. Use sponge or soft cloth, dampened with the cleaning solution, to wipe down your Countertop Refrigerator
- Rinse with clean warm water and dry with a soft cloth.
- Do not use harsh chemicals, abrasives, ammonia, chlorine bleach, concentrated detergents, solvents or metal scouring pads. Some of these chemicals may dissolve, damage and/ or discolor your Countertop Refrigerator.

Door Gaskets:

- Clean door gaskets every three months according to general instructions. Gaskets must be kept clean and pliable to assure a proper seal.
- Petroleum jelly applied lightly on the hinge side of gaskets will keep the gasket pliable and ensure a good seal.

Defrosting Your Countertop Refrigerator

Your Countertop Refrigerator is designed with a manual defrost system. The Countertop Refrigerator surfaces will defrost, when the unit is unplugged. Water from the unit is disposed of automatically, by means of being channeled onto a drip tray located on the compressor. Heat transfer from the compressor causes this water to evaporate.

Power Interruptions

· Occasionally there may be power interruptions due to thunderstorms or other causes. Remove the power cord from AC outlet when a power outage occurs. When power is restored, plug the power cord back into the AC outlet.

Vacation and Moving Care

· For long vacations or absences, empty contents from Countertop Refrigerator, unplug the unit and clean the Countertop Refrigerator and door gaskets according to "General cleaning" section. Prop doors open, so air can circulate inside. When moving, always move the Countertop Refrigerator vertically. Do not move with the unit lying down. Possible damage to the sealed system could occur.

I Troubleshooting

Problem	Possible Causes	Solutions
The appliance does not operate	· There is a power failure · The appliance is not plugged in · A house fuse has blown or the 1circuit breaker is tripped	· Check if control panel  is on. · Ensure the appliance is plugged in and the power outlet has power · Replace the broken fuse or reset the breaker
The appliance is not cold enough	· The appliance is placed too close to a heat source · The door is opened too often · The door is not closed completely · The door gasket does not seal properly	· Adjust the temperature · Keep the appliance away from sunshine or other heat sources · Close the door tightly and do not open the door too frequently or for a long period of time · Ensure the door gasket is not loose.
The appliance frequently turns on and off	· The ambient (room) temperature is too low or high · A large amount of contents has been added to the appliance · The door is opened too often · The door is not closed completely · The door gasket does not seal properly	· Decrease or increase the ambient (room) temperature · To minimize internal temperature fluctuation, do not overstock the appliance · Close the door tightly and do not open the door too frequently or for a long period of time · Ensure the door gasket is not loose · It is normal for the fan to come on and turn off to circulate the air inside of the unit for even temperature distribution and to save energy
The appliance makes too much noise	· The noise may come from the flow of the refrigerant and expansion of the inside walls may cause popping and crackling noises · Contraction and expansion of the inside walls may cause popping and crackling noises · The appliance is not level	· It is normal that as each cooling cycle ends, you may hear rattling or gurgling sounds caused by the flow of refrigerant in the appliance. The high efficiency compressor may make a pulsating or high pitched sound · Some popping or cracking noises are normal. They are caused by expansion and contraction of the inside walls due to temperature changes · Make sure the unit is placed on a hard and level surface. Do not place the appliance on carpet · See Normal Sounds
The door does not close properly	· The appliance is not level · The door was reversed and not properly installed · The shelves are out of position	· Make sure the appliance is on a hard and level surface. Avoid placing the appliance on a carpeted or soft surface · Reinstall door · Correctly install the shelves
Condensation builds up on the glass door.	· Ambient temperature or humidity is high.	· Lower the room humidity by a dehumidifier or air conditioner.

I WARRANTY

We offers a limited 1-year warranty ("warranty period") on all of our products purchased new and unused from us with an original proof of purchase and where a defect has arisen, wholly or substantially, as a result of faulty manufacture, parts, or workmanship during the warranty period. The warranty does not apply where damage is caused by other factors, including without limitation:

- (a) normal wear and tear;
- (b) abuse, mishandling, accident, or failure to follow operating instructions;
- (c) exposure to liquid or infiltration of foreign particles;
- (d) servicing or modifications of the product other than by our company;

Our warranty covers all costs related to restoring the proven defective product through repair or replacement of any defective part and necessary labor so that it conforms to its original specifications. A replacement product may be provided instead of repairing a defective product. Our sole obligation under this warranty is limited to such repair or replacement. A receipt indicating the purchase date is required for any claim, so please keep all receipts in a safe place. Although greatly appreciated, the product registration is not required to activate any warranty, and product registration does not eliminate the need for the original proof of purchase. The warranty will be voided if repairs are performed by a non-authorized third party and/ or if spare parts other than those provided by the Company are used.

You may also arrange for service after the warranty expires, at an additional cost. These are our general terms for warranty service, but we always urge our customers to reach out to us with any issue, regardless of warranty terms. If you have an issue with our products, please contact us (support@euhomy.com), and we will do our best to resolve it for you.

EUHOMY

Live the *cool life*

EC REP

SUCCESS COURIER SL
CALLE RIO TORMES NUM. 1, PLANTA 1,
DERECHA, OFICINA 3, Fuenlabrada,
Madrid, 28947 Spain

UK REP

EVATOST CONSULTING LTD
Office 101 32 Threadneedle Street,
London, United Kingdom, EC2R 5AY
contact@evatost.com

Business Name: Ningbo Shuaifan Information Technology Co., Ltd.
Business Address: Room 1320 -2, No. 121, Tongji Road, Jiangbei District,
Ningbo City, Zhejiang Province 315000



Email: support@euhomy.com



<https://euhomy.com>