

LEPRO 3300008-2 Λάμπα κάμπινγκ, 4400 mAh, σετ 2 τεμαχίων

LEPRO · EAN 4894495037483

Machine translation from Polski. In case of doubt the manufacturer's original document prevails.

Camping lamp

3300008 / 3300008-2

3300008-OG / 3300008-OG-2

3300008-WH / 3300008-WH-2

1000 lm / 10W / 5 V 1 A / IP44 / -25 °C ~ 40 °C / -13 °F ~ 104 °F

Handle

Diffuser

Indicator

Toggle button

Input - USB Type-C charging port

(Type C port) 100%

Input: 5V 1A

Approximately 8 hrs 2

1

Output: 5V 1A

Power Bank: 4400 mAh

< 2.5s > 2.5s

1 2 3 4 off on off

b

a

Cool white Warm white

c d

Neutral white Flashing

on Press and hold to adjust

brightness. 3.7V 4400mAh 16.28Wh

Lithium-ion battery

The diffuser is removable Battery replacement

(User manual and safety information)

1. Power adapter, USB cable (not included)

2. This lamp does not support fast charging, and its

maximum load current and output current is 1 A. 3. The light source contained in this lighting fixture can be

replaced only by the manufacturer, its service representative

or another qualified person. 4. The product contains batteries that should not be exposed to extreme temperatures. Do not attempt to

modify or disassemble the product. 5. Avoid using and charging in an environment

with temperatures above 40°C. 6. If the product will not be used for an extended period, it should

first be fully charged. It should be charged at least once every

3 months. If the product has not been charged for over 12

months, it should be discontinued to avoid

safety hazards. 7. For your own safety while charging with

the power adapter, please follow these rules:

Manufacturer: LE Innovation Limited

One Spencer Dock, North Wall Quay, Dublin 1, D01 X9R7,

Ireland

www.lepro.de

+49 800-723-6202 cs@lepro.de

EU representative:

LE Innovation Limited

One Spencer Dock, North Wall

Quay, Dublin 1, D01 X9R7, Ireland

cs@lepro.de

Battery information:

Type: Portable lithium-ion batteries (Li-Ion)

Net weight: 0.17 kg

Capacity: 2200mAh

Exceeded permissible cadmium content (0.002%) or lead (0.004%): no

Battery serial number: ICR18650

Environmental protection

Used electronic equipment marked in accordance with the European Union directive must not be

disposed of together with other municipal waste. It is subject to selective collection and recycling at designated points. By ensuring its proper disposal, you prevent potential negative consequences for the natural environment and human health. The collection system for used equipment complies with locally applicable environmental regulations regarding waste disposal. Detailed information on this can be obtained from the municipal office, waste management facility, or the store where the product was purchased. The product meets the requirements of the so-called New Approach directives of the European Union (EU) regarding safety, health protection, and environmental protection, which define the hazards that should be detected and eliminated. This document is a translation of the original user manual created by the manufacturer. Detailed information about the distributor/manufacturer warranty conditions is available at

<https://serwis.innpro.pl/gwarancja>

The product should be regularly maintained (cleaned) by the user or through specialized service points at the user's cost and responsibility. In the absence of information about necessary periodic or service maintenance actions in the user manual, the user should regularly, at least once a week, assess the physical condition of the product against that of a physically new product. If any differences are detected or observed, urgent maintenance (cleaning) or service actions should be taken. Failure to properly maintain (clean) and respond upon detecting a difference may lead to permanent damage to the product. The guarantor is not responsible for damages resulting from negligence. Importer:

INNPRO Robert Błędowski sp. z o.o. ul. Rudzka 65c

44-200 Rybnik, Poland

tel. +48 533 234 303

hurt@innpro.pl

www.innpro.pl

Safety precautions

Before starting to charge, check if the device contacts are clean. Never leave the device unattended while in use and charging. Ensure that you can quickly disconnect the device from the power source in an emergency. Never expose the device to high temperatures. Charge the device in a dry and well-ventilated place away from flammable materials,

keeping a minimum distance of 1m from other objects. Never cover the device while charging. Never use the power adapter, charging station, cables, etc., without the manufacturer's recommendation and certification. Take care of your property; the device is equipped with cells that are difficult to extinguish, equip yourself with a fire blanket. LI-ION Battery

The device is equipped with a LI ION (lithium-ion) battery, which, due to its physical and chemical structure, ages over time and with use.

The manufacturer specifies the maximum operating time of the device under laboratory conditions, where optimal working conditions for the device exist, and the battery itself is new and fully charged. Actual operating time may differ from that declared in the offer and this is not a defect of the device but a product feature. To maintain the maximum lifespan of the battery, it is not recommended to discharge it below 3.18V or 15% of the total capacity. Lower values, such as 2.5V for the cell, permanently damage it and this is not covered by the warranty. If the battery or the entire device is not used for more than one month, the battery should be charged to 50% and its charge level should be checked periodically every two months. Store the battery and device in a dry place, away from sunlight and negative temperatures. LI-PO Battery The device is equipped with a LI PO (lithium polymer) battery, which, due to its physical and chemical structure, ages over time and with use. The manufacturer specifies the maximum operating time of the device under laboratory conditions, where optimal working conditions for the device exist, and the battery itself is new and fully charged. Actual operating time may differ from that declared in the offer and this is not a defect of the device but a product feature. To maintain the maximum lifespan of the battery, it is not recommended to discharge it below 3.5V or 5% of the total capacity. Lower values, such as 3.2V for the cell, permanently damage it and this is not covered by the warranty. If the battery or the entire device is not used for more than one month, the battery should be charged to 50% and its charge level should be checked periodically every two months. Store the battery and device in a dry place, away from sunlight and negative temperatures.