

Τηλεχειριστήριο SwitchBot Universal

SwitchBot · EAN 810150543773

Machine translation from Polski. In case of doubt the manufacturer's original document prevails.

Contents of the package Product appearance Preparation for use Device configuration Step 3: Adding remotes to Operating rules Custom shortcuts Device settings Scan the QR code to access ! Warning

devices/copying hub settings If the physical buttons on the universal remote the user manual in other language versions. Once the configuration of the SwitchBot remote

Universal Remote Light sensor You will need: Step 1: Turning on the power Follow the instructions in the app, Controlling devices or are insufficient, you can use Lift to wake up Universal Remote can control devices

User manual ? Smartphone or tablet with Bluetooth 4.2 or to add the remote to the device. If triggering scenarios four custom shortcuts. These shortcuts <https://www.switch-bot.com/pages/> at home in offline mode. Do not take it

Display newer. Press and hold the ON button on the device you have a SwitchBot hub with added remotes, can be edited through our Just lift the universal remote to switchbot-user-manual outside to prevent loss or other consequences. Please

4 Custom shortcuts ? The latest version of our app, available for you can copy them to the universal remote. map actions of devices to the remote button functions for each of them. The function backlight. This function can be turned on or remember that this product is not suitable

through the Apple App Store or Google Beginners should search for brand and model of the device to find and universal remote, press the red button allows easy access to the buttons of this can be turned on or off using our app. for children under 5 years old. Power buttons Play Store. download the infrared code. If the exact Key on the universal remote and use the touch same category with one touch

(ON/OFF) ? SwitchBot account, you can register through model is not on the list, select the closest dial to select devices or Automatic dimming Charging

our app or log in directly to your account if you already have it. model. We also recommend purchasing a hub Fully charging the device's battery

Universal Type-C cable scenarios and buttons.

SwitchBot, to manage our application. It takes about 5 hours. The battery life of the SwitchBot remote control can last up to 6 months after a full charge. Tap to display the list of devices or scenarios. Step 2: Adding a device to Step 4: Mapping device actions. The Universal Remote is equipped with a light sensor and can automatically adjust the display brightness depending on the surrounding light. You can also customize the brightness to your own preferences using our app. User manual Tool for device reset. Follow the instructions to add your device. The device can operate for up to 5 months on a single full charge. This result is tested under the following conditions: The device lights up for 5 minutes and sends an infrared signal 50 times a day in an environment with a temperature of 25 °C (77 °F).

settings with the Universal Remote. Kata Button Universal Remote are by default stored on the user account. After restoring factory settings, damage or loss of the Universal Remote can be replaced with a new one. Before starting to use, please read the user manual. After-sales service card Type C port depending on the device in our app. Universal Remote and copy all previous configuration data to it. Software updates Specification Contact and support Scan the QR code to get the latest version of our user manual. Used electronic equipment marked (clean) at your own expense or by the manufacturer of power supplies, cables, and other to manage control devices, Regularly check control devices Service and repairs:

to improve user comfort Material: ABS + PC resistant to radiation- Feedback: In case of any Manufacturer: Woan Technology (Shenzhen) Co, Ltd. in accordance with the European Union directive, must specialized service points for components. to enhance data security. for visible damage, such as In case of any issues with the device, contact an authorized Address: Room 1101, Qiancheng Commercial Center, cost and user scope. In case- we will regularly release software updates UV resistant (flame retardant V-0) doubts or problems during No. 5 Haicheng Road, Mabu Community, Xixiang be disposed of together with other waste in the absence of information on necessary actions Do not manipulate devices with wet Access management: cracks in the casing, damaged wires service. functions and resolve any faults Weight: 133 g (4.7 oz) submit feedback through our recycling at designated points. service points in the user manual, please only to trusted users. software that may occur Power: Type-C, DC 5 V 1 A, battery app on the Profile > Help and feedback page.

China, 518100 Ensuring its proper disposal, regularly, at least once a week assess Risk of improper use: Clean the devices with a soft, dry cloth. Do not attempt to repair the devices

yourself

during use. When available lithium-ion 2000 mAh Configuration and troubleshooting: you prevent potential negative the physical state of the product from Ensure that the control devices are used Regularly review the list of devices connected Do not use water or chemical agents, control devices to avoid further damage

connected to the system and remove those that are no longer that may damage their electronics. or loss of warranty. new software version, we will send Battery life: 5 months support.switch-bot.com consequences for the natural environment and the physically new product. In case according to their intended use and recommendations used or may pose potential

notification of the update to the user account human health. The system for collecting used detection or identification of any manufacturer. Operating temperature: 0 °C to 40 °C

Technical support email: SIMPLIFIED EU DECLARATION OF CONFORMITY hazard. For battery-powered devices

user via our equipment complies with locally applicable discrepancies, urgent action must be taken regularly check the battery status and replace

application. During the update, (32 °F to 104 °F) support@switch-bot.com Woan Technology (Shenzhen) Co, Ltd hereby environmental protection regulations regarding maintenance (cleaning) or servicing. If devices are integrated with the system For devices with remote function Safe disposal:

Operating humidity: from 0% to 90% dispose of it according to the manufacturer's recommendations. ensure that the product has sufficient waste disposal.

Detailed information on Lack of proper maintenance (cleaning) and smart home, make sure they are correctly use the notification feature

Learn more Used devices should be disposed of in accordance

battery power and ensure that the smartphone relative humidity directive configured in the controlling app, to unauthorized access attempts, if

The SwitchBot universal remote is compatible with this information can be obtained at the municipal office, response upon detection of an abnormal state For battery-powered devices, with local waste disposal regulations

Connectivity: 2014/53/EU. The full text of the declaration avoid operational errors. is within range to prevent Bluetooth Low Energy <https://support.switch-bot.com/hc/en-us> compliance cleaning facility or store where may lead to permanent damage if possible. regularly check the charge level electronics. interference. The EU is available at the following address the

product was purchased product. The warranty does not cover For devices with built-in apply appropriate pressure on the buttons to avoid excessive force that Information on proper manufacturer's recommendations. Do not dispose of the device in general waste battery life is tested under online:<https://files.inn-pro.pl/> liability for damages resulting from internal mechanisms. usage municipal waste – take it to a collection point
Restarting Manufacturer's address: Room 1101, Qiancheng New Approach of the European Union (EU), Importer: INNPRO Robert Błędowski sp. z o.o. electronic equipment. Commercial Center, No. 5 Haicheng Road, Mabu regarding safety issues, health protection and Wireless connectivity Installation and configuration: User safety:
Use the provided tool to reset the device.

Rudzka 65c 44-200 Rybnik, Poland Data protection: Before installation, ensure that the device If you need additional information
ia, press the reset button for 1 Shenzhen, Guangdong, China, 518100 environmental protection, identifying hazards, tel. +48 533 234 303 the controller is compatible with the system it If the device operates unstably (e.g. flashing regarding the product, contact the customer
second, then release it. which should be detected and eliminated. Controllers often use Wi-Fi, is intended to operate with, as well as with other devices indicators, no response to commands), then service department (email: hurt@innpro.pl, website
Maximum radio frequency power: hurt@innpro.pl Zigbee, Bluetooth, or other communication disconnect it from power and contact a <https://innpro.pl/>) or another
-0.95dBm This document is a translation technologies. Secure it with a password, and if specialist. www.innpro.pl If the device requires installation in the wall, of the original user manual created if possible, enable connection encryption to
Reset button by the manufacturer. prevent unauthorized access. ensure that the installation location is dry,
resetting Responsible entity in the EU: safe, and compliant with the user manual. Name: XDH Tech Regularly update the device software
Address: 2 Rue Coysevox Bureau 3, Lyon, France Detailed information on warranty conditions and related control applications, Check if the devices are installed in
E-Mail: xdh.tech@outlook.com from the distributor/manufacturer is available on the to protect data from unauthorized a location ensuring a stable connection to website
<https://serwis.innpro.pl/gwarancja> the network. V1.2-2503