

Telesin selfie light με μαγνητική θήκη τηλεφώνου

Telesin · EAN 6974944463310

Machine translation from Polski. In case of doubt the manufacturer's original document prevails.

Selfie Light Telesin with Magnetic Phone Holder

User Manual

Description:

The Telesin selfie light with a magnetic holder makes it easy to create visual content. With a diameter of 60 mm and a weight of only 80 g, the accessory fits easily in your pocket or bag. The use of a strong magnet compatible with MagSafe allows for quick mounting on an iPhone. The package also includes a magnetic ring, ensuring compatibility with other smartphones.

Included:

- Selfie light
- Magnetic ring
- USB-C charging cable
- User manual

Specification:

Manufacturer: Telesin

Model: S5-BGD-01

Color temperature range: 2700K / 5600K / 7500K

Rotation angle: 180°/360°

Battery capacity: 5000 mAh

Operating time: up to 45 min (maximum brightness), up to 500 min (minimum brightness)

Charging port: USB-C

Diameter: 60 mm

Weight: 80 g

Manufacturer:

Shenzhen Telesin Digital Co., Ltd

Bantian Street Block B / Room 526

518000 Shenzhen, Guangdong

China

info@telesin.com

Responsible entity

INNPRO Robert Błędowski sp. z o. o.

Rudzka 65C

44-200 Rybnik

Poland

zgloszenia@innpro.pl

safety@innpro.eu

Importer:

INNPRO Robert Błędowski Sp. z o.o.

ul. Rudzka 65c

44-200 Rybnik

www.innpro.pl

Using the product for unintended purposes may cause damage to the product or pose a threat to health or life. Do not expose the product to mechanical loads. If safe operation is not possible, discontinue use. If there are any doubts regarding operation, please contact the Manufacturer or Importer.

Environmental Protection

Used electronic equipment marked in accordance with the European Union directive must not be disposed of with other municipal waste. It is subject to selective collection and recycling at designated points. By ensuring its proper disposal, you prevent potential negative consequences for the natural environment and human health. The system for collecting used equipment complies with locally applicable environmental protection regulations regarding waste disposal. Detailed information on this can be obtained from the municipal office, waste management facility, or the store where the product was purchased.

The product meets the requirements of the so-called New Approach directives of the European Union (EU) regarding safety, health protection, and environmental protection, identifying hazards that should be detected and eliminated.

Li-Ion Battery

The device is equipped with a Li-Ion (lithium-ion) battery, which, due to its physical and chemical structure, ages over time and with use. The manufacturer specifies the maximum operating time of the device under laboratory conditions, where optimal working conditions for the device exist, and the battery is new and fully charged. Actual operating time may

differ from that declared in the offer and this is not a defect of the device but a feature of the product. To maintain maximum battery life, it is not recommended to discharge it below 3.18 V or 15% of total capacity. Lower values, such as 2.5 V for the cell, permanently damage it and this is not covered by warranty. If the battery or the entire device is not used for more than one month, the battery should be charged to 50% and its charge level should be checked periodically every two months. Store the battery and device in a dry place, away from sunlight and negative temperatures.

LIPO Battery

The device is equipped with a Li-Ion (lithium-ion) battery, which, due to its physical and chemical structure, ages over time and with use. The manufacturer specifies the maximum operating time of the device under laboratory conditions, where optimal working conditions for the device exist, and the battery is new and fully charged. Actual operating time may differ from that declared in the offer and this is not a defect of the device but a feature of the product. To maintain maximum battery cell life, it is not recommended to discharge it below 3.18 V for a single cell or 15% of total capacity. Lower values, such as 2.5 V for the cell, permanently damage it and this is not covered by warranty. If the battery or the entire device is not used for more than one month, the battery should be charged to 50% and its charge level should be checked periodically every two months. Store the battery and device in a dry place, away from sunlight and negative temperatures.

Maintenance

The product must be regularly maintained (cleaned) by the user or by specialized service points at the user's cost and responsibility. In the absence of information about necessary maintenance, periodic, or service actions in the user manual, the physical condition of the product should be assessed at least once a week against that of a physically new product. If any deviation is detected or identified, urgent maintenance (cleaning) or service steps must be taken. Failure to perform proper maintenance (cleaning) and to respond upon detecting a state of deviation may lead to permanent damage to the product. The manufacturer is not responsible for damages resulting from neglect.

Precautions

Before starting to charge, check that the device contacts are clean.

Never leave the device unattended while in use and charging.

Ensure that you can quickly disconnect the device from the power source in an emergency.

Never expose the device to high temperatures.

Charge the device in a dry and well-ventilated area away from flammable materials,

maintaining a minimum distance of 1 meter from other objects.

Never cover the device while charging.

Never use a power supply, charging station, cables, etc., without the manufacturer's recommendation and certification.

Take care of your property; the device is equipped with batteries that are difficult to extinguish, so have a fire blanket on hand.

Detailed information about the distributor/manufacturer's warranty conditions is available on the website:

<https://serwis.innpro.pl/gwarancja>