# Telesin 1.8m selfie holder / τρίποδο

Telesin · EAN 6974944465062

Machine translation from Polski. In case of doubt the manufacturer's original document prevails.

Selfie Stick / Tripod Telesin 1.8m

User Manual

Description:

The Telesin product is a functional combination of a selfie stick and a tripod, which automatically unfolds, offers full angle adjustment, Bluetooth remote control, high stability, and wide compatibility. It is suitable for handheld recording, remote work, and group photos.

Specification:

Manufacturer Telesin

Model P1-TSS-002

Material aluminum alloy + zinc alloy + plastic + silicone

Dimensions 35 × 5 × 4 cm

Maximum height when unfolded over 170 cm

Weight 383 g

Remote control functions taking photos / recording video

Remote control range 10 meters

Charging method USB-C, 55 mAh, 5 V

Charging time 30 minutes

Manufacturer:

Shenzhen Telesin Digital Co., Ltd

Bantian Street Block B / Room 526

518000 Shenzhen, Guangdong

China

info@telesin.com

Responsible entity

INNPRO Robert Błędowski sp. z o. o.

Rudzka 65C

44-200 Rybnik

Poland

zgloszenia@innpro.pl
safety@innpro.eu

Importer:
INNPRO Robert Błędowski Sp. z o.o.
ul. Rudzka 65c
44-200 Rybnik
www.innpro.pl

Using the product for unintended purposes may cause damage to the product or pose a risk to health or life. Do not expose the product to mechanical loads. If safe operation is not possible, discontinue use. If there are any doubts regarding operation, please contact the Manufacturer or Importer.

Environmental Protection

Used electronic equipment marked in accordance with the European Union directive must not be disposed of together with other municipal waste. It is subject to selective collection and recycling at designated points. By ensuring its proper disposal, you prevent potential negative consequences for the natural environment and human health. The system for collecting used equipment complies with locally applicable environmental protection regulations regarding waste disposal. Detailed information on this topic can be obtained from the municipal office, waste management facility, or the store where the product was purchased.

The product meets the requirements of the so-called New Approach directives of the European Union (EU) concerning safety, health protection, and environmental protection, which define hazards that should be detected and eliminated.

Li-Ion Battery

The device is equipped with a LI ION (lithium-ion) battery, which ages over time and usage due to its physical and chemical structure. The manufacturer specifies the maximum operating time of the device under laboratory conditions, where optimal working conditions for the device exist, and the battery itself is new and fully charged. Actual operating time may differ from that declared in the offer and this is not a defect of the device but a feature of the product. To maintain maximum battery life, it is not recommended to discharge it below 3.18 V or 15% of total capacity. Lower values, such as 2.5 V for the cell, permanently damage it and this is not covered by warranty. If the battery or the entire device is not used for more than one month, the battery should be charged to 50% and its charge level should

be checked periodically every two months. Store the battery and device in a dry place, away from sunlight and negative temperatures.

LIPO Battery

The device is equipped with a LI ION (lithium-ion) battery, which ages over time and usage due to its physical and chemical structure. The manufacturer specifies the maximum operating time of the device under laboratory conditions, where optimal working conditions for the device exist, and the battery itself is new and fully charged. Actual operating time may differ from that declared in the offer and this is not a defect of the device but a feature of the product. To maintain maximum cell life, it is not recommended to discharge it below 3.18 V for a single cell or 15% of total capacity. Lower values, such as 2.5 V for the cell, permanently damage it and this is not covered by warranty. If the battery or the entire device is not used for more than one month, the battery should be charged to 50% and its charge level should be checked periodically every two months. Store the battery and device in a dry place, away from sunlight and negative temperatures.

Maintenance

The product should be regularly maintained (cleaned) by the user or through specialized service points at the user's cost and responsibility. In the absence of information regarding necessary maintenance, periodic, or service actions in the user manual, the physical condition of the product should be assessed at least once a week against that of a physically new product. If any deviation is detected or identified, urgent maintenance (cleaning) or service steps should be taken. Failure to properly maintain (clean) and respond upon detecting a state of deviation may lead to permanent damage to the product. The manufacturer is not responsible for damages resulting from neglect.

Precautions

- Before starting to charge, check that the device contacts are clean.
- Never leave the device unattended while in use and charging.
- Ensure that you can quickly disconnect the device from the power source in an emergency.
- Never expose the device to high temperatures.
- Charge the device in a dry, well-ventilated area away from flammable materials, maintaining a minimum distance of 1 m from other objects.
- Never cover the device while charging.
- Never use a power supply, charging station, cables, etc., without the manufacturer's recommendation and certification.

- Take care of your property; the device is equipped with batteries that are difficult to extinguish, so have a fire blanket on hand.

Detailed information about the distributor/manufacturer's warranty conditions is available at the following website:
https://serwis.innpro.pl/gwarancja

SIMPLIFIED EU DECLARATION OF CONFORMITY
Shenzhen Telesin Digital Co., Ltd hereby declares that the type of radio device Selfie Stick / Tripod Telesin is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following website:

Manufacturer's address: Bantian Street Block B / Room 526 518000 Shenzhen, Guangdong China

Radio frequency: 2400 MHz-2483.5 MHz
Maximum radio frequency power: <20dBm