
Yeelight Φωτάκι Νυκτός με Αισθητήρα Sensor Plug-in Light (Λευκό)


YEELIGHT · EAN 6924922203155

Machine translation from Polski. In case of doubt the
manufacturer's original document prevails.



Yeelight
Night lamp with sensor
Instrukcja obsługi


Product description



* Rysunek jest jedynie referencyjny. Wtyczka może być wyjmowana, aby dopasować ją do gniazdek i regionu, gdzie będzie używana.

Instrukcja użytkowania


1. Włóż lampkę nocną do gniazdka. Po około 3 sekundach, włączy się czujnik światła. Lampka nocna się włączy, jeśli oświetlenie otoczenia jest mniejsze niż $2\pm 1\text{lx}$. Jeśli oświetlenie otoczenia jest wyższe niż $13\pm 3\text{lx}$, lampka nocna automatycznie się wyłączy. Gdy lampka jest włączona, naciśnij przycisk włączania/wyłączania i lampka się wyłączy. Czujnik światła się włączy, gdy oświetlenie otoczenia ponownie się zmieni.



WARNING:

*Aby czujnik działał poprawnie, używaj go w miejscach bez zakłóceń.

2. Jeśli chcesz użyć innej wtyczki, naciśnij przycisk wyjmowania i przekręć urządzenie w kierunku przeciwnym do wskazówek zegara, aby wyjąć obecną wtyczkę, by móc włożyć inną.



Parametry

Model: YLYD11YL

Wejście znamionowe: 100-240V~50/60Hz 0.01A

Napięcie znamionowe: 0.5W

Temperatura kolorów: 2500K

Stopień ochrony: IP20

Typ czujnika: Czujnik światła

Ostrzeżenie

1. Przed użyciem tego produktu, upewnij się czy napięcie jest odpowiednie do napięcia roboczego urządzenia. Używanie tego produktu pod innym napięciem może doprowadzić do jego uszkodzenia i może stworzyć niebezpieczeństwo.
2. Urządzenie jest tylko do użytku wewnętrznego.
3. Nie można używać urządzenia razem ze ściemniaczem.
4. Uwaga: Istnieje ryzyko porażenia! Źródło światła tego urządzenia jest niewymienne; Gdy żywotność źródła światła osiągnie swój koniec, należy wymienić całą lampkę.
5. Produkt ten nie jest przeznaczony do użytku przez dzieci.
6. Trzymaj urządzenie z dala od ognia i wody.
7. Urządzenie nie powinno być używane jako światło wyjść awaryjnych ani jako światło awaryjne.



Deklaracja zgodności EU

Niniejszym, firma Qingdao Yeelink Information Technology Co., Ltd. orzeka, iż to urządzenie jest zgodne z europejskimi dyrektywami oraz normami.

Environmental protection



Used electronic equipment marked in accordance with the European Union directive must not be placed together with other municipal waste. It is subject to selective collection and recycling at designated points. By ensuring its proper disposal, you prevent potential negative consequences for the natural environment and human health. The waste collection system complies with locally applicable environmental protection regulations regarding waste disposal. Detailed information on this topic can be obtained from the municipal office, waste management facility, or the store where the product was purchased.



The product meets the requirements of the so-called New Approach directives of the European Union (EU) concerning safety, health protection, and environmental protection, which define hazards that should be detected and eliminated.

This document is a translation of the original user manual created by the manufacturer.

Detailed information about the distributor/manufacturer warranty conditions is available on the website <https://serwis.innpro.pl/gwarancja>

The product should be regularly maintained (cleaned) by the user or through specialized service points at the user's cost and responsibility. In the absence of information about necessary periodic or service maintenance actions in the user manual, the user should regularly, at least once a week, assess the physical condition of the product against that of a physically new product. If any deviation is detected or noted, urgent maintenance (cleaning) or service steps should be taken. Failure to properly maintain (clean) and respond upon detecting a deviation may lead to permanent damage to the product. The warranty does not cover damages resulting from neglect.

For LI-ION batteries

The device is equipped with a LI ION (lithium-ion) battery, which, due to its physical and chemical structure, ages over time and with use. The manufacturer specifies the maximum operating time of the device under laboratory conditions where optimal operating conditions for the device exist, and the battery itself is new and fully charged. Actual operating time may differ from that declared in the offer and this is not a defect of the device but a feature of the product. To maintain maximum battery life, it is not recommended to discharge it below 3.18V or 15% of total capacity. Lower values, such as 2.5V for the cell, cause permanent damage and are not covered by the warranty. If the battery or the entire device is not used for more than one month, the battery should be charged to 50% and its charge level should be checked periodically every two months. Store the battery and device in a dry place, away from sunlight and negative temperatures.

For LIPO batteries

The device is equipped with a LI PO (lithium-polymer) battery, which, due to its physical and chemical structure, ages over time and with use. The manufacturer specifies the maximum operating time of the device under laboratory conditions where optimal operating conditions for the device exist, and the battery itself is new and fully charged. Actual operating time may differ from that declared in the offer and this is not a defect of the device but a feature of the product. To maintain maximum battery life, it is not recommended to discharge it below 3.5V or 5% of total capacity. Lower values, such as 3.2V for the cell, cause permanent damage and are not covered by the warranty. If the battery or the entire device is not used for more than one month, the battery should be charged to 50% and its charge level should be checked periodically every two months. Store the battery and device in a dry place, away from sunlight and negative temperatures.